## **PRODUCT DATASHEET**

### Legend<sup>™</sup> Laser Tie-On Cable Labels





This is a multipage document, all pages must be read in conjunction with each other



Our Legend™ A4 polyester label sheets offer by far the easiest and fastest way to produce tie-on cable labels. No special equipment needed.

Use with a standard office laser printer. Removing the labels is easy too, just fold backwards and forwards along the perforation lines.

Print up to 60 labels in just 15 seconds!

Available in packs of 10 or 100 sheets.

#### **TECHNICAL DATA**

Printing Method	Standard Laser Printer		
Material	Polyester		
Thickness	175 microns		
Sheet Size	A4		
Standard Colours	White, Yellow, Blue, Red, Green, Orange		
Standard Sizes	dard Sizes 60 x 13mm, 90mm x 13mm, 90mm x 20mm		
RoHS (EU 2002/95/EC)	RoHS Compliant		

#### **FEATURES & BENEFITS**

- Easy to use and apply
- Pre-perforated for rapid removal from sheet
- Apply to any cable from OD Ø 10mm unlimited

#### **APPROVALS**

 Authorised for use by London Underground Registration No. 1105

#### **PRODUCT TESTING**

Method			
MIL-STD-202G Method 106G			
MIL-STD-810F Method 502.4			
MIL-STD-202G Method 108A			
H <sub>2</sub> S Sour Gas Exposure (2% H <sub>2</sub> S)			
ISO 4982 Part 3 Method A Cycle 1			
IEC60068-2-52 Test Kb Salt Mist (Cyclic)			
See overleaf			

 $<sup>^{\</sup>star}$  Samples were subjected to 500 hours @ 70°C, followed by 500 hours @ 85°C followed by 1000 hours @ 100°C



**T**: +44 (0) 1707 37 37 27 **W**: www.silverfox.co.uk

E: sales@silverfox.co.uk

E: support@silverfox.co.uk

Copyright © 2015 Silver Fox Limited

R5.7

<sup>\*\*</sup> Limited external applications generally away from direct sunlight but may be suitable in control boxes etc. Labels generally for use internally such as: data centres, control rooms, sub-stations, power stations etc. Other applications may include banks, hotels airports etc.

### **PRODUCT DATASHEET**

### **Legend<sup>™</sup> Laser Tie-On Cable Labels**





This is a multipage document, all pages must be read in conjunction with each



#### **PRODUCT TESTING**

#### **Chemical/Solvent Resistance:**

Samples of Silver Legend<sup>™</sup> Standard Laser Tie-on Cable labels were printed\* with a standard laser printer. Samples were then conditioned for 24 hours at room temperature. Testing\* consisted of 5 cycles of 10-minute immersions in the specified chemical/solvent followed by a 30-minute recovery period. After the final immersion, the samples were then rubbed ten times with a cotton swab dipped in the test fluid. Visual observations on the print quality are listed in the table below.

Chemical/Solvent	No Rub	After Rub		
Methyl Ethyl Keytone (MEK)	Loss of Density (Complete colour removal on label)	Loss of Density (Complete colour removal on label)		
Isopropyl Alcohol	No Effect (Colour faded on label)	No Effect (Colour faded on label)		
Toluene	No Effect (Colour faded on label)	Complete Removal		
Jet Fuel	No Effect	Loss of Density		
Diesel	No Effect	No Effect		
Petrol (UK)	Loss of Density	Complete removal		
SAE 30 Oil	No Effect	No Effect		
De-ionised Water	No Effect	No Effect		
3% Alconox® Detergent	No Effect	No Effect		
10% Hydrochloric Acid	No Effect	No Effect		
10% NaCl Salt Solution	No Effect	No Effect		
Mineral Spirits	No Effect	No Effect		
Alcohol Mix	Complete Removal	Complete Removal		
10% Sodium Hydroxide Solution	No Effect	No Effect		
DOT 4 Brake Fluid	Loss of legibility/removal	Complete removal		
Mineralised Methylated Spirit	Complete Removal	Complete Removal		
Ethylene Glycol	No Effect	No Effect		
WD-40	No Effect	No Effect		
Turpentine Substitute	No Effect	No Effect		

# TIME INTO PROFIT®

To print a few labels, use the variable start position option in our Labacus Innovator Advanced or Professional software and print the labels at the bottom of the sheet, this keeps the leading edge of sheet intact for future runs.



T: +44 (0) 1707 37 37 27

W: www.silverfox.co.uk

E: sales@silverfox.co.uk

E: support@silverfox.co.uk

Copyright © 2015 Silver Fox Limited

R5.7

### **PRODUCT DATASHEET**

Legend<sup>™</sup> Laser Tie-On Cable Labels





This is a multipage document, all pages must be read in conjunction with each other




#### STORAGE INSTRUCTIONS

Storage Instructions	ions Store between 50° F (10° C) and 77° F (25° C)		
Shelf Life	2 Years		
Conditions	Keep in dark conditions		
Humidity Resistance	35% to 65% RH		


#### **HOW TO REMOVE LABELS**

STEP 1



After printing, fold the label along the perforations

STEP 2



Firmly crease along the fold

STEP 3



Tear along the crease to remove the label

#### **ORDER INFORMATION**

Product Code	Label Dims (mm)	Labels / Sheet	Sheets / Pack	Labels / Pack	Colour Options
LS6013L*	60 x 13	60	10 Sheets	600	
LS6013L*(100)	60 x 13	60	100 Sheets	6000	
LM9013L*	90 x 13	40	10 Sheets	400	
LM9013L*(100)	90 x 13	40	100 Sheets	4000	
LXL9020L*	90 x 20	24	10 Sheets	240	
LXL9020L*(100)	90 x 20	24	100 Sheets	2400	


<sup>\*</sup>Specify colour when ordering

Disclaimer: The information contained in this datasheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We are not able to anticipate every set of conditions, so always suggest that users should also satisfy themselves as to the suitability of our products for their particular environment and application and not make any assumptions based on information in this data sheet that is included or omitted. This datasheet supersedes any previous information/datasheet released and is subject to change without notice.





# TIP - TIME INTO PROFIT BROCHURE





T: +44 (0) 1707 37 37 27

W: www.silverfox.co.uk
E: sales@silverfox.co.uk
E: support@silverfox.co.uk

Copyright © 2015 Silver Fox Limited

R5.7 Page 3 of 3