

SYSTIMAX® structured cabling systems

High-performance
infrastructure – built on
the science of innovation

Your network is too important for second-best solutions

CommScope delivers the max with SYSTIMAX®

Top enterprises all over the world know and trust the SYSTIMAX name. It's the only complete, comprehensive single-source structured cabling solution available that covers every inch and every connection from the workstation, Wi-Fi access point, DAS remote, IP camera or other connected device, all the way to the data centre.

SYSTIMAX is a comprehensive platform of advanced copper and fibre connectivity, with automated infrastructure management and high-efficiency interfaces that help you put more connections into increasingly crowded data centre spaces. And because SYSTIMAX is a CommScope solution, it's backed by a reliable, responsive global network of manufacturing, logistics and expertise.

The best global enterprises depend on best-in-class performance

SYSTIMAX stands apart from other solutions because it offers a unique combination of proven performance and innovative thinking.

Migration? Evolution? Expansion?

SYSTIMAX® is the best way to take your network to the next level.

From the core to the connected device, SYSTIMAX has always been there - and always been ahead of the curve.

That's what being best-in-class is all about.

SYSTIMAX® covers it all

- Copper structured cabling
- High-performance fibre
- High-density panels
- Pre-terminated cabling solutions
- Design and planning tools
- Intelligent automated infrastructure management
- Comprehensive warranty
- Global service and support
- Comprehensive training through the CommScope Infrastructure Academy

A universal solution, offered on a global scale

The industry leader
is never far away

SYSTIMAX is a cohesive system, not just a series of components. Likewise, SYSTIMAX manufacturing and distribution is a worldwide enterprise that puts the solutions you need in hand, quickly, reliably and economically.

CommScope's global reach, consistency, availability, and manufacturing scale means that we can deliver the technology and the expertise you need, where you need it.

SYSTIMAX® is backed by
CommScope's 25 year
assurance warranty

CommScope guarantees that all SYSTIMAX solutions will deliver on the terms and conditions of their 25 year assurance warranty:

- Will meet - and exceed - published specifications
- Will support all warranted, specified applications
- Will be replaced at no cost, whether a problem arises in the first year or the 25th

It's all covered under the CommScope Network Infrastructure System 25 Year Extended Product Warranty and Application Assurance. Only the best solution on the market can afford to offer this degree of warranty protection.

PartnerPRO™ NETWORK

The PartnerPRO® Network:
Local support and service from
CommScope-certified experts

CommScope also offers you access to its exclusive PartnerPRO Network, a worldwide alliance of CommScope-certified planners, designers, installers, integrators and alliance partners to help you deploy quickly and efficiently. Each partner is local to you, adding valuable understanding of your environment, marketplace and other area-specific factors.

Simply put, the expertise you get from the PartnerPRO Network adds even greater value to your SYSTIMAX solution.

CommScope
builds SYSTIMAX®
solutions for partners
in 138 countries

From solutions to support to service, the answer is SYSTIMAX®

Your enterprise network is the lifeblood of your business, and it's under stress like never before. It's too important to trust to second-best structured cabling solutions.

SYSTIMAX invented structured cabling and continues to set the standards before the industry can even publish the standards. A complete, integrated solution, SYSTIMAX connects your enterprise from the data centre to the desktop and everywhere in between.

And with CommScope as your partner, you can be assured that your network will benefit from industry-leading expertise and best-in-class support at every stage.

Your Network is Evolving. Evolve to win - With SYSTIMAX®.

Driving the standards since 1985	Engineered to exceed today's demand	Enabling data centre speeds to 400G and beyond	Eligible for CommScope's 25 year warranty	A tried-and-tested solution from a trusted partner
The original structured cabling solution	A complete end-to-end solution	Copper, fibre, interfaces & intelligence	Trusted by the world's most successful enterprises	Global availability and local PartnerPRO support



Ordering Information

Stock and Availability

At Comtec we carry a significant stock holding of SYSTIMAX products. Orders can be placed via telephone or online for next day delivery.

Head Office

Orderphone 01480 415000

Email sales@comtecdirect.co.uk

Glasgow

Orderphone 0141 564 1234

Email glasgow@comtecdirect.co.uk

Sunbury

Orderphone 0844 844 4444

Email sunbury@comtecdirect.co.uk

Online

www.comtecdirect.co.uk

Contents


GigaSPEED XL Cat6 Cable	6
GigaSPEED XL Cat6 Patch Panels	7
Unloaded Modular Patch Panels.....	7
GigaSPEED XL Cat6 Jacks	8
GigaSPEED XL Cat6 Patch Leads	9
GigaSPEED X10D Cat6a Cable.....	10
GigaSPEED X10D Cat6a Patch Panel	10
GigaSPEED X10D Cat6a Jacks.....	11
GigaSPEED X10D Cat6a Patch Leads.....	11
LF80 LJ6C Shutters, Blanking Plates and Faceplates.....	12
Surface Mount Back Boxes	13
LazrSPEED Fibre Cable.....	14
TeraSPEED Fibre Cable.....	14
G2 Fibre Patch Panels	15
Fibre Adaptors and Connectors.....	16
LazrSPEED Fibre Pigtails	17
TeraSPEED Fibre Pigtails	17
Fibre Patch Panel Accessories	18
Modular Cassette Fibre Patch Panels.....	19
InstaPATCH 360 Fibre Patch Panel Modules and Cassettes...	21
LazrSPEED Fibre Patch Leads	22
TeraSPEED Fibre Patch Leads.....	22



SYSTIMAX GigaSPEED XL Cat6 U/UTP Cable

3071E unshielded Cat6 cable

- ETL verified performance
- LSZH sheath
- 23AWG



Item	Man. Code	Category	Construction	Sheath	No of Pairs	CPR Euroclass	Packaging	Colour	UoM
810405	3071E WH 4/23 W1000	Cat6	U/UTP	LSZH	4 Pair	Dca-s2,d2,a1	WE TOTE Box	White	Box Of 1000ft
810406	3071E WH 4/23 R4000	Cat6	U/UTP	LSZH	4 Pair	Dca-s2,d2,a1	Reel	White	Reel Of 4000ft
810871	3071E-C WH 4/23 R1000	Cat6	U/UTP	LSZH	4 Pair	Cca-s1,d1,a1	Reel	White	Reel Of 1000ft

ORDER
ONLINE

comtecdirect.co.uk



SYSTIMAX GigaSPEED XL 1100GS3 Evolve Patch Panels

Cat6 unshielded rear punch patch panels

- Port labelling facility
- Rear cable management
- 568A & 568B wiring schemes
- iPatch ready



810964



810960

Item	Man. Code	Category	Type	Ports	Orientation	Rear Cable Man	Height	Colour	UoM
810960	360-IPR-1100-E-GS3-1U-24	Cat6	Unshielded	24Port	Rear Punch	With Rear Cable Management	1U	Grey	Each
810964	360-IPR-1100-E-GS3-2U-48	Cat6	Unshielded	48Port	Rear Punch	With Rear Cable Management	2U	Grey	Each

SYSTIMAX M2000 Series Modular Patch Panels

Modular patch panels to accept Cat5e, Cat6 and Cat6a jacks

- Port labelling facility
- Rear cable management bar



810888



810976

UoM: Each

Item	Man. Code	Description	Category	Type	Ports	Orientation	Rear Cable Man	Height	Colour
810976	M2000-1U	M2000 Patch Panel	Unloaded	Unshielded	24Port	Flat Modular	With Rear Cable Management	1U	Black
810888	M2000A-1U	M2000A Patch Panel	Unloaded	Unshielded	24Port	Angled Modular	With Rear Cable Management	1U	Black

SYSTIMAX FlexiMAX Modular Unloaded Patch Panels

Modular, unshielded, high density patch panels

- Accepts Cat5e, Cat6 and Cat6a unshielded modules
- Staggered port design minimises Alien Crosstalk
- Individually numbered ports
- Integral rear cable management




Item	Man. Code	Description	Type	Ports	Orientation	Height	Colour	UoM
810974	FLEXIMAX PANEL-EMEA	FlexiMAX Patch Panel	Unshielded	24Port	Staggered	1U	Black	Each

SYSTIMAX GigaSPEED XL Cat6 Jacks

Unshielded Cat6 modular jacks

- 110 IDC punchdown termination
- Solid or stranded conductors
- 22AWG to 24AWG
- 568A & 568B wiring options



Item	Man. Code	Description	Category	Type	Jack Type	Colour	UoM
810402	MGS400-003	GigaSPEED XL Jack	Cat6	Unshielded	MGS400	Black	Each
810403	MGS400-262	GigaSPEED XL Jack	Cat6	Unshielded	MGS400	White	Each

SYSTIMAX GigaSPEED Cat6 U/UTP Solid Core Patch Leads

Solid core Cat6 U/UTP patch leads

- Suitable for punching down on IDC blocks
- For use in consolidation point and switch links
- LSZH sheath
- 568B wiring



Item	Man. Code	Description	Category	Cable Type	Sheath	Boot	Core	Colour	Length	UoM
811141	GS8E-SL-WH-35F	GigaSPEED XL Patch Lead	Cat6	U/UTP	LSZH	Unbooted	Solid	White	35ft	Each
811142	GS8E-SL-WH-50F	GigaSPEED XL Patch Lead	Cat6	U/UTP	LSZH	Unbooted	Solid	White	50ft	Each
811193	GS8E-SL-WH-100F	GigaSPEED XL Patch Lead	Cat6	U/UTP	LSZH	Unbooted	Solid	White	100ft	Each

SYSTIMAX GigaSPEED XL Cat6 U/UTP Patch Leads

GigaSPEED XL Cat6 unshielded patch leads

- LSZH sheath
- Stranded cable for flexibility
- 568B wiring configuration




Item	Man. Code	Description	Category	Cable Type	Sheath	Boot	Core	Colour	Length	UoM
811195	GS8E-L-WH-3FT	GigaSPEED XL Patch Lead	Cat6	U/UTP	LSZH	Unbooted	Stranded	White	3ft	Each
811196	GS8E-L-WH-4FT	GigaSPEED XL Patch Lead	Cat6	U/UTP	LSZH	Unbooted	Stranded	White	4ft	Each
811197	GS8E-L-WH-5FT	GigaSPEED XL Patch Lead	Cat6	U/UTP	LSZH	Unbooted	Stranded	White	5ft	Each
811134	GS8E-L-WH-7FT	GigaSPEED XL Patch Lead	Cat6	U/UTP	LSZH	Unbooted	Stranded	White	7ft	Each
811198	GS8E-L-WH-9FT	GigaSPEED XL Patch Lead	Cat6	U/UTP	LSZH	Unbooted	Stranded	White	9ft	Each
811135	GS8E-L-WH-10FT	GigaSPEED XL Patch Lead	Cat6	U/UTP	LSZH	Unbooted	Stranded	White	10ft	Each
811199	GS8E-L-WH-15FT	GigaSPEED XL Patch Lead	Cat6	U/UTP	LSZH	Unbooted	Stranded	White	15ft	Each
811200	GS8E-L-WH-17FT	GigaSPEED XL Patch Lead	Cat6	U/UTP	LSZH	Unbooted	Stranded	White	17ft	Each
811201	GS8E-L-WH-19FT	GigaSPEED XL Patch Lead	Cat6	U/UTP	LSZH	Unbooted	Stranded	White	19ft	Each
811202	GS8E-L-WH-24FT	GigaSPEED XL Patch Lead	Cat6	U/UTP	LSZH	Unbooted	Stranded	White	24ft	Each
811203	GS8E-L-WH-33FT	GigaSPEED XL Patch Lead	Cat6	U/UTP	LSZH	Unbooted	Stranded	White	33ft	Each
810417	GS8E-L-DG-3FT	GigaSPEED XL Patch Lead	Cat6	U/UTP	LSZH	Unbooted	Stranded	Dark Grey	3ft	Each
810418	GS8E-L-DG-5FT	GigaSPEED XL Patch Lead	Cat6	U/UTP	LSZH	Unbooted	Stranded	Dark Grey	5ft	Each
810419	GS8E-L-DG-7FT	GigaSPEED XL Patch Lead	Cat6	U/UTP	LSZH	Unbooted	Stranded	Dark Grey	7ft	Each
810420	GS8E-L-DG-10FT	GigaSPEED XL Patch Lead	Cat6	U/UTP	LSZH	Unbooted	Stranded	Dark Grey	10ft	Each

SYSTIMAX GigaSPEED X10D Cat6a U/UTP Cable

3091B Cat6a unshielded cable

- ETL verified performance
- 23AWG
- LSZH sheath



Item	Man. Code	Category	Construction	Sheath	No of Pairs	CPR Euroclass	Packaging	Colour	UoM
810428	3091B WH 4/23 W1000	Cat6a	U/UTP	LSZH	4 Pair	Dca-s2,d2,a1	WE TOTE Box	White	Box Of 1000ft
810427	3091B BL 4/23 W1000	Cat6a	U/UTP	LSZH	4 Pair	Dca-s2,d2,a1	WE TOTE Box	Blue	Box Of 1000ft
810868	3091B-C WH 4/23 R1000	Cat6a	U/UTP	LSZH	4 Pair	Cca-s1,d1,a1	Reel	White	Reel Of 1000ft

SYSTIMAX GigaSPEED X10D 1100GS6 Evolve Patch Panels

Cat6a unshielded rear punch patch panels

- Port labelling facility
- Rear cable management
- 568A & 568B wiring schemes
- iPatch ready



Item	Man. Code	Category	Type	Ports	Orientation	Rear Cable Man	Height	Colour	UoM
810966	360-IPR-1100-E-GS6-1U-24	Cat6a	Unshielded	24Port	Rear Punch	With Rear Cable Management	1U	Grey	Each

SYSTIMAX GigaSPEED X10D Cat6a Jacks

MGS600 series Cat6a unshielded jacks

- For use in patch panels and wall outlets
- 110 IDC termination
- 22-24AWG
- Solid or stranded conductors
- Colour coded terminations for 568A and 568B wiring



810430

810429

Item	Man. Code	Description	Category	Type	Jack Type	Colour	UoM
810429	MGS600-003	GigaSPEED X10D Jack	Cat6a	Unshielded	MGS600	Black	Each
810430	MGS600-262	GigaSPEED X10D Jack	Cat6a	Unshielded	MGS600	White	Each

SYSTIMAX GigaSPEED X10D Cat6a Patch Leads

Unshielded solid core Cat6a patch leads

- Support up to 10G Ethernet
- LSZH sheath
- Solid core conductors
- 568B wiring configuration



Item	Man. Code	Description	Category	Cable Type	Sheath	Boot	Core	Colour	Length	UoM
810884	360GS10E-L-DG-3FT	GigaSPEED X10D Patch Lead	Cat6a	U/UTP	LSZH	Unbooted	Solid	Dark Grey	3ft	Each
811208	360GS10E-L-DG-4FT	GigaSPEED X10D Patch Lead	Cat6a	U/UTP	LSZH	Unbooted	Solid	Dark Grey	4ft	Each
810422	360GS10E-L-DG-5FT	GigaSPEED X10D Patch Lead	Cat6a	U/UTP	LSZH	Unbooted	Solid	Dark Grey	5ft	Each
810423	360GS10E-L-DG-7FT	GigaSPEED X10D Patch Lead	Cat6a	U/UTP	LSZH	Unbooted	Solid	Dark Grey	7ft	Each
810885	360GS10E-L-DG-10FT	GigaSPEED X10D Patch Lead	Cat6a	U/UTP	LSZH	Unbooted	Solid	Dark Grey	10ft	Each
811209	360GS10E-L-DG-17FT	GigaSPEED X10D Patch Lead	Cat6a	U/UTP	LSZH	Unbooted	Solid	Dark Grey	17ft	Each
811210	360GS10E-L-DG-24FT	GigaSPEED X10D Patch Lead	Cat6a	U/UTP	LSZH	Unbooted	Solid	Dark Grey	24ft	Each
811211	360GS10E-L-DG-33FT	GigaSPEED X10D Patch Lead	Cat6a	U/UTP	LSZH	Unbooted	Solid	Dark Grey	33ft	Each
811213	360GS10E-L-WH-3FT	GigaSPEED X10D Patch Lead	Cat6a	U/UTP	LSZH	Unbooted	Solid	White	3ft	Each
811214	360GS10E-L-WH-5FT	GigaSPEED X10D Patch Lead	Cat6a	U/UTP	LSZH	Unbooted	Solid	White	5ft	Each
811215	360GS10E-L-WH-7FT	GigaSPEED X10D Patch Lead	Cat6a	U/UTP	LSZH	Unbooted	Solid	White	7ft	Each
811217	360GS10E-L-WH-10FT	GigaSPEED X10D Patch Lead	Cat6a	U/UTP	LSZH	Unbooted	Solid	White	10ft	Each
811218	360GS10E-L-WH-17FT	GigaSPEED X10D Patch Lead	Cat6a	U/UTP	LSZH	Unbooted	Solid	White	17ft	Each
811219	360GS10E-L-WH-24FT	GigaSPEED X10D Patch Lead	Cat6a	U/UTP	LSZH	Unbooted	Solid	White	24ft	Each

SYSTIMAX LF80 LJ6C Shutters

LJ6C shutters for mounting GigaSPEED jacks in faceplates and floor boxes

- Shutter prevents contact contamination
- High-impact, flame retardant thermoplastic
- UL-rated 94 V-0



810432

810434

810433

Item	Man. Code	Description	Style	Height	Width	Depth	Colour	UoM
810432	LF80 - White	LF80 LJ6C Shutter	Flat	38.35mm	24.89mm	13.21mm	White	Each
810434	LF80 - Black	LF80 LJ6C Shutter	Flat	38.35mm	24.89mm	13.21mm	Black	Each
810433	LF80 Angled - White	LF80 LJ6C Shutter	Angled	38.35mm	24.89mm	13.21mm	White	Each

SYSTIMAX LF80 LJ6C Blanking Plates

Blanking plates for filling unused ports in faceplates and floor boxes



Item	Man. Code	Description	Height	Width	Depth	Colour	UoM
810435	LF00 - Blank	LF80 LJ6C Blanking Plate	37.85mm	24.89mm	13.97mm	White	Each

SYSTIMAX LJ6C Faceplates

Faceplates for mounting LF80 shutters and blanks

- UK style faceplates
- High-impact, flame retardant thermoplastic
- UL-rated 94 V-0
- Supplied with fixing screws



810436

810437

Item	Man. Code	Description	Gangs	Apertures	Style	Height	Width	Depth	Colour	UoM
810436	M12D-F-262	Faceplate	Single Gang	2x LJ6C	Flat	86mm	86mm	9mm	White	Each
810437	M14D-F-262	Faceplate	Double Gang	4x LJ6C	Flat	86mm	146mm	9mm	White	Each

SYSTIMAX Surface Mount Back Boxes

Surface mount back boxes for UK style faceplates

- High-impact, flame retardant, UL-rated 94 V-0, thermoplastic



810953



810969



810971




810972

Item	Man. Code	Description	Gangs	Depth	Colour	UoM
810953	M12D-32MM-262	Backbox	Single Gang	32mm	White	Each
810969	M12D-37MM-262	Backbox	Single Gang	37mm	White	Each
810971	M12D-45MM-262	Backbox	Single Gang	45mm	White	Each
810972	M14D-45MM-262	Backbox	Double Gang	45mm	White	Each

SYSTIMAX LazrSPEED Riser Distribution Cable

OM4 tight buffered cable for indoor applications

- LazrSPEED 550 50/125 multimode fibre
- LSZH sheath




Item	Man. Code	Description	Construction	No. of Fibres	Standard	Sheath	CPR Euroclass	Colour	UoM
810894	N-012-DS-5K-FSUAQ	Fibre Cable	TB	12F	OM4	LSZH	Dca-s1a,d1,a2	Aqua	Foot
810896	N-024-DS-5K-FSUAQ	Fibre Cable	TB	24F	OM4	LSZH	Dca-s1a,d1,a1	Aqua	Foot

SYSTIMAX TeraSPEED Singlemode Riser Distribution Cable

Tight buffered cable for internal applications

- Zero water peak singlemode fibre (G.652.D, G.657.A1)
- LSZH sheath



Item	Man. Code	Description	Construction	No. of Fibres	Standard	Sheath	CPR Euroclass	Colour	UoM
810892	N-024-DS-8W-FSUYL	Fibre Cable	TB	12F	OS2	LSZH	Dca-s1a,d1,a2	Yellow	Foot
810895	N-024-DS-8W-FSUYL	Fibre Cable	TB	24F	OS2	LSZH	Dca-s1a,d1,a1	Yellow	Foot

SYSTIMAX G2 1U Fibre Panels

Fibre patch panels to accept one G2 front faceplate

- Accepts two RoloSplices with three trays each
- Available with fixed or sliding chassis
- Front plates to be ordered separately



810898



810899

Item	Man. Code	Description	Panel Type	Connector	Style	Height	Width	Colour	UoM
810898	600G2-1U-UP-FX	G2 Fibre Patch Panel	w/o Front Plate	Unloaded	Fixed	1U	19"	Black	Each
810899	600G2-1U-UP-SD	G2 Fibre Patch Panel	w/o Front Plate	Unloaded	Sliding	1U	19"	Black	Each

SYSTIMAX G2 Fibre Patch Panel Front Plates

Unloaded front plates for use with G2 fibre patch panels

- Adaptors to be ordered separately




Item	Man. Code	Description	Type	Connector	Colour	UoM
811537	G2-1U-12SC-SPLX-EMT	G2 Fibre Patch Panel Front Plate	Unloaded	12 x LC-Duplex	Black	Each
811539	G2-1U-24SC-SPLX-EMT	G2 Fibre Patch Panel Front Plate	Unloaded	24 x LC-Duplex	Black	Each

SYSTIMAX LC-Duplex Fibre Adaptors

Fibre adaptors for use in G2 fibre patch panel front plates

- Snap-in LC-Duplex adaptors



Item	Man. Code	Description	Connector	Mode	Colour	UoM
811542	M81LC-LS-CL	Adaptor	LC-Duplex	MM	Aqua	Each
811543	M81LC-SM-CL	Adaptor	LC-Duplex	SM	Blue	Each

SYSTIMAX LC Connectors

Behind the wall pre-radiused LC connectors for 0.9mm fibre

- Pre-radiused zirconia ferrules
- Suitable for field termination



Item	Man. Code	Description	Connector	Mode	Ferrule	Fibre Dia.	Colour	UoM
810902	MFC-LCR-09-BG	Fibre Connector	LC Simplex	MM	Zirconia	900 Micron	Beige	Each
810903	SFC-LCR-09-BL	Fibre Connector	LC Simplex	SM	Zirconia	900 Micron	Blue	Each

SYSTIMAX LazrSPEED OM4 Fibre Pigtails LC

Multimode OM4 LC fibre pigtail

- 0.9mm tight buffered fibre



Item	Man. Code	Description	Fibre Type	Mode	Connector	Standard	Core Size	Colour	Length	UoM
810933	FAXLCUC01	LazrSPEED Fibre Pigtail	Tight Buffered	MM	LC	OM4	50/125	Aqua	5ft	Each

SYSTIMAX TeraSPEED OS2 Fibre Pigtails LC

Singlemode LC fibre pigtail

- 0.9mm tight buffered fibre



Item	Man. Code	Description	Fibre Type	Mode	Connector	Standard	Core Size	Colour	Length	UoM
810909	FAWLCUC01	TeraSPEED Fibre Pigtail	Tight Buffered	SM	LC	OS2	9/125	Yellow	5ft	Each

SYSTIMAX TerraSPEED OS2 Fibre Pigtails SC

Singlemode SC fibre pigtail

- 0.9mm tight buffered fibre



Item	Man. Code	Description	Fibre Type	Mode	Connector	Standard	Core Size	Colour	Length	UoM
810921	FAWSCUC01	TeraSPEED Fibre Pigtail	Tight Buffered	SM	SC	OS2	9/125	Yellow	5ft	Each

SYSTIMAX Fibre Patch Panel Accessories

A range of fibre management accessories for use in fibre patch panels



Fibre Drums



Splice Holder Kit Stackable



Splice Wallet Kit

Item	Man. Code	Description	UoM
810891	KIT, FIBER DRUM	Fibre Drums for 1U and 2U Shelves	Pair
810954	360-SPLICE-24-FUS	Fusion Splice Holder Kit Stackable	Pair
810975	SW-03-FUS	Fusion Splice Wallet Kit (48 Splice)	Each
810897	SW-6AF-16SF	Fusion Splice Wallet Kit (96 Splice)	Each



**NEED
ASSISTANCE?**

01480 415000 (Head Office)
0141 564 1234 (Glasgow)
0844 844 4444 (Sunbury)

SYSTIMAX 360G2 Modular Cassette Patch Panels

360G2 fibre patch panels

- Accepts four G2 modular cassettes
- Accepts one InstaPATCH 360 data module or 360DP panel
- Accepts two RoloSplices with three trays each



Item	Man. Code	Cassettes	Panel Type	Connector	Slots	Style	Height	Width	Colour	UoM
810911	360G2-1U-MOD-FX	InstaPATCH 360	Modular	Unloaded	4 Slots	Fixed	1U	19"	Black	Each

SYSTIMAX High Density Modular Cassette Fibre Patch Panels

Sliding, modular fibre patch panels

- Accepts InstaPATCH 360 modules and MPO cassettes
- Sliding chassis design
- Integral front fibre patch cord management
- Up to 96 fibres (48 x LC Duplex) or 32 MPO ports per U



810979



810980



810981

Item	Man. Code	Description	Cassettes	Panel Type	Connector	Slots	Style	Height	Width	Colour	UoM
810979	HD-1U	HD Fibre Patch Panel	InstaPATCH 360	Modular	Unloaded	4 Slots	Sliding	1U	19"	Black	Each
810980	HD-2U	HD Fibre Patch Panel	InstaPATCH 360	Modular	Unloaded	8 Slots	Sliding	2U	19"	Black	Each
810981	HD-4U	HD Fibre Patch Panel	InstaPATCH 360	Modular	Unloaded	16 Slot	Sliding	4U	19"	Black	Each

SYSTIMAX Ultra Density Modular Cassette Sliding Shelves

SYSTIMAX ultra density modular cassette sliding shelves, accepts InstaPATCH 360 modules or MPO panels



811223



811222

Item	Man. Code	Description	Cassettes	Panel Type	Connector	Slots	Style	Height	Width	Colour	UoM
811222	UD-2U	Ultra Density Fibre Patch Panel	InstaPATCH 360	Modular	Unloaded	12 Slot	Sliding	2U	19"	Black	Each
811223	UD-4U	Ultra Density Fibre Patch Panel	InstaPATCH 360	Modular	Unloaded	24 Slot	Sliding	4U	19"	Black	Each



FREE
NEXT DAY DELIVERY

SYSTIMAX InstaPATCH 360 Fibre Patch Panel Modules

Fibre modules for use in the 360G2 & HD range of fibre patch panels

- 12 fibre modules
- Pre-loaded with adaptors
- Easy to fit and remove
- iPatch ready



Item	Man. Code	Description	No. of Fibres	Mode	Connector	Colour	UoM
810925	360DP-12LC-LS	InstaPATCH 360 Fibre Patch Panel Module	12F	MM	6x LC Duplex	Aqua	Each
810945	360DP-24LC-LS	InstaPATCH 360 Fibre Patch Panel Module	24F	MM	12x LC Duplex	Aqua	Each
810930	360DP-12LC-SM	InstaPATCH 360 Fibre Patch Panel Module	12F	SM	6x LC Duplex	Blue	Each
810947	360DP-24LC-SM	InstaPATCH 360 Fibre Patch Panel Module	24F	SM	12x LC Duplex	Blue	Each

SYSTIMAX InstaPATCH 360 Pre-terminated Cassettes

MPO cassettes for use in 360G2 fibre patch panels

- MPO to LC pre-terminated cassettes
- 12 or 24 fibres
- MPO male connectors on rear
- Easy to fit and remove
- iPatch ready




Item	Man. Code	Description	Connector	Termination	Socket	Standard	Mode	Colour	UoM
810938	360DM-12LC-LS	InstaPATCH 360 MPO Module	1x MPO	12x LC	Duplex	OM4	MM	Aqua	Each
810942	360DM-12LC-SM	InstaPATCH 360 MPO Module	1x MPO	12x LC	Duplex	OS2	SM	Blue	Each
810934	360DM-24LC-LS	InstaPATCH 360 MPO Module	2x MPO	24x LC	Duplex	OM4	MM	Aqua	Each
810936	360DM-24LC-SM	InstaPATCH 360 MPO Module	2x MPO	24x LC	Duplex	OS2	SM	Blue	Each

SYSTIMAX LazrSPEED OM4 LC-LC Fibre Patch Leads

LazrSPEED 550 OM4 LC to LC fibre patch leads

- 1.6mm diameter cable
- Aqua LSZH sheath



Item	Man. Code	Description	Mode	Connectors	Standard	Core Size	Sheath	Colour	Length	UoM
810944	FFXLCLC42-MXF005	LazrSPEED Fibre Patch Lead	MM	LC Duplex	OM4	50/125	LSZH	Aqua	5ft	Each
810946	FFXLCLC42-MXF007	LazrSPEED Fibre Patch Lead	MM	LC Duplex	OM4	50/125	LSZH	Aqua	7ft	Each
810948	FFXLCLC42-MXF010	LazrSPEED Fibre Patch Lead	MM	LC Duplex	OM4	50/125	LSZH	Aqua	10ft	Each
810949	FFXLCLC42-MXF015	LazrSPEED Fibre Patch Lead	MM	LC Duplex	OM4	50/125	LSZH	Aqua	15ft	Each

SYSTIMAX TeraSPEED OS2 LC-LC Fibre Patch Leads

TeraSPEED singlemode LC to LC fibre patch leads

- 1.6mm diameter cable
- Yellow LSZH sheath



Item	Man. Code	Description	Mode	Connectors	Standard	Core Size	Sheath	Colour	Length	UoM
810935	FFWLCLC42-JXF005	TeraSPEED Fibre Patch Lead	SM	LC Duplex	OS2	9/125	LSZH	Yellow	5ft	Each
811221	FFWLCLC42-JXF006	TeraSPEED Fibre Patch Lead	SM	LC Duplex	OS2	9/125	LSZH	Yellow	6ft	Each
810939	FFWLCLC42-JXF010	TeraSPEED Fibre Patch Lead	SM	LC Duplex	OS2	9/125	LSZH	Yellow	10ft	Each
810940	FFWLCLC42-JXF015	TeraSPEED Fibre Patch Lead	SM	LC Duplex	OS2	9/125	LSZH	Yellow	15ft	Each

now meets next



Pushing the boundaries of
communications technology
with game-changing ideas and
groundbreaking discoveries

COMMScope®

© 2017 CommScope, Inc. All rights reserved AD-112241-EN

Comtec Huntingdon

Head Office and Main Distribution Centre

Cardinal Way, Cardinal Distribution Park
Godmanchester
Huntingdon
PE29 2XJ
Phone: +44 (0)1480 415000
Email: sales@comtecdirect.co.uk

Comtec Glasgow

Trade Counter & Sales Office

20 Couper Street
Glasgow
G4 0DL
Phone: +44 (0)141 564 1234
Email: glasgow@comtecdirect.co.uk

Comtec Sunbury

Sales Office

Unit C3 The Dolphin Estate, Windmill Road
Sunbury On Thames
Middlesex
TW16 7HE
Phone: +44 (0)844 844 4444
Email: sunbury@comtecdirect.co.uk